




Cleaning Care

Wetwall panels can be cleaned by using normal soap, water and a soft cloth. Alternatively a non-scratch liquid cleaner can also be used.

On a day-to-day basis or after every use, it is best to rinse the panels and then clean off the excess water with a squeegee or a soft cloth. Wiping down the surface after every use will help to prevent the buildup of residue and limescale. Finally, to achieve the sought-after streak free finish, remove any remaining water using a high quality microfibre cloth. Extra care should be taken in areas of exposed sealant, these should be wiped clean to prevent the build-up of dirt which, in certain cases, may promote mould/fungus growth.

Abrasive cleaners should **NEVER** be used. The use of "wash and go" cleaners should also be avoided as some have a high acidic content which, over time can cause discoloration or damage to the surface of the panels. **DO NOT** allow paint stripper, nail varnish, spirits, dry cleaning agents, W.C, cleaners or bleach to come in to contact with the panel surface.



Dimensions


10mm PVC Panels 2400mm x 1000mm



FIX & FORGET ADHESIVE

FFA

WHITE FROST FF10WF WHITE HIGH **GLOSS** FF10WHG



MARBLE FF10WM

New Range of 10mm Panels

2400mm x 1000mm



GRAPHITE GREY QUARTZ FF10GGQ




GREY ONYX FF10GO




GREY QUARTZ MATT FF10GQM



GREY STONE FF10GS



OCEAN MARBLE FF100M



TIMELESS CARRARA MARBLE FF10TCM




8mm PVC Panels

2700mm x 250mm 4 panels Per Pack



CONTRACTOR

LVT Dimensions





Luxury Vinyl Flooring




Luxury Vinyl Flooring

PITTENWEEM MOSAIC EFFECT FFFPIT



PLOCKTON MOSAIC EFFECT FFFPlockton





PORTREE MOSAIC EFFECT

FFFPort



